OPALJET ENERGY 3 0W30

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS Reference Number: 263661
Issue date: 12/03/2013 Revision date: 21/02/2025 Supersedes version of: 25/09/2023 Version: 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	:	Mixture
Product name	:	OPALJET ENERGY 3 0W30
Product code	:	263661
Type of product	:	Use in lubricants
Product group	:	Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category	:	Industrial use,Professional use,Consumer use
Industrial/Professional use spec	:	Wide dispersive use
Use of the substance/mixture	:	Lubricant Lubricants and additives
Function or use category	:	Lubricants and additives

1.3. Details of the supplier of the safety data sheet

UNIL LUBRICANTS NV
Bergensesteenweg 713
BE 1600 Sint - Pieters - Leeuw
Belgique-Belgie
T 0032 02 365 02 00
info@unil.com, www.unil.be

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains tris(branched-alkyl) borate. May produce an allergic reaction.
EUH210 - Safety data sheet available on request.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Comments : DMSO extract < 3% (IP 346)
The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.
* Contains one or more of the following EC numbers: CE 265-157-1 (Reg. N° 01-2119484627-25); N° CE 265-169-7 (Reg. N° 01-2119471299-27); N° CE 265-158-7 (Reg. N° 01-2119487077-29); N° CE 265-159-2 (Reg. N° 01-2119480132-48)

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dec-1-ene, homopolymer, hydrogenated	CAS-No.: 68037-01-4 EC-No.: 500-183-1 REACH-no: 01-2119486452-34	25 – 50	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] (Note L)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 REACH-no: 01-2119484627-25	25 – 50	Asp. Tox. 1, H304
Mineral oil*	-	2,5 – 10	Asp. Tox. 1, H304
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	CAS-No.: 125643-61-0 EC-No.: 406-040-9 EC Index-No.: 607-530-00-7 REACH-no: 01-0000015551-76	0,1 – 2,5	Aquatic Chronic 4, H413

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 (“Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method” Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). Never give anything by mouth to an unconscious person.

First-aid measures after inhalation	:	When symptoms occur: go into open air and ventilate suspected area. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	:	Rinse skin with water/shower. Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists. Rinse immediately with plenty of water.
First-aid measures after ingestion	:	Rinse mouth. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	:	Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	:	None under normal use.
Symptoms/effects after skin contact	:	Contact during a long period may cause light irritation.
Symptoms/effects after eye contact	:	May cause slight irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	:	Dry powder. Carbon dioxide. Foam. Sand. AFFF foam. Water spray.
Unsuitable extinguishing media	:	Do not use a heavy water stream. When cooling/extinguishing: no water in the substance.

5.2. Special hazards arising from the substance or mixture

Fire hazard	:	Combustible product.
Explosion hazard	:	Not applicable.
Reactivity in case of fire	:	Decomposes on exposure to temperature rise: release of harmful/irritant gases/vapours.
Hazardous decomposition products in case of fire	:	Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

5.3. Advice for firefighters

Precautionary measures fire	:	Post warning notices (including no smoking). Avoid ignition sources. No open flames, no sparks, and no smoking.
Firefighting instructions	:	Evacuate area. Prevent fire fighting water from entering the environment. Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers.
Protection during firefighting	:	Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	:	Use water spray or fog for cooling exposed containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	:	Relevant water authorities should be notified of any large spillage to water course or drain. Practice good housekeeping - spillage can be slippery on smooth surface either wet or dry.

For non-emergency personnel

Protective equipment	:	Concerning personal protective equipment to use, see section 8. Wear suitable protective clothing and gloves.
Emergency procedures	:	Evacuate unnecessary personnel. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel).
Measures in case of dust release	:	Not applicable.

For emergency responders

Protective equipment	:	Equip cleanup crew with proper protection.
Emergency procedures	:	Clean up any spills as soon as possible, using an absorbent material to collect it. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Remove all floating oil before biological treatment/discharge. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	:	Clean up any spills as soon as possible, using an absorbent material to collect it. Collect all waste in suitable and labelled containers and dispose according to local legislation. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information	:	May be dangerously slippery if spilled.

6.4. Reference to other sections

For disposal of residues refer to section 13 : Disposal considerations" ". Concerning personal protective equipment to use, see section 8. See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	:	Combustible product.
Precautions for safe handling	:	Use personal protective equipment as required. Do not get in eyes, on skin, or on clothing. No open flames. No smoking. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	:	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	:	Comply with applicable regulations.
Storage conditions	:	Store in original container. Keep container closed when not in use. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Keep in fireproof place.
Incompatible products	:	See Heading 10. Strong bases. Strong acids.
Incompatible materials	:	See Heading 10. Sources of ignition. Direct sunlight.
Heat and ignition sources	:	No flames, no sparks. Eliminate all sources of ignition.
Information on mixed storage	:	Oxidation agents.
Storage area	:	Store away from heat. Floors should be impervious, resistant to liquids and easy to clean.
Special rules on packaging	:	Keep only in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Eye protection should only be necessary where liquid could be splashed or sprayed. Chemical goggles or safety glasses

Eye protection			
Type	**Field of application**	**Characteristics**	**Standard**
Safety glasses	Droplet		

Skin protection

Skin and body protection:

Rinse and then wash skin thoroughly with water and soap

Hand protection:

protective gloves

Hand protection					
Type	**Material**	**Permeation**	**Thickness (mm)**	**Penetration**	**Standard**
	Nitrile rubber (NBR), Neoprene rubber (HNBR), Polyvinylchloride (PVC)	6 (> 480 minutes)			

Other skin protection

Materials for protective clothing:

Separate working clothes from town clothes. Launder separately

Respiratory protection

Respiratory protection:

Avoid the formation of mists in the atmosphere. If this material is handled at elevated temperature or under mist forming conditions, approved respiratory protection equipment should be used. Wear appropriate mask

Respiratory protection			
Device	**Filter type**	**Condition**	**Standard**
Aerosol mask	Type P3	Protection for Liquid particles	

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Colour	:	colourless to yellow.
Appearance	:	Oily.
Odour	:	characteristic.
Odour threshold	:	No data available
		No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flammability	:	Combustible product
Explosive properties	:	Heating may cause a fire. Not classified as explosive according to EC criteria, but may present risks in the event of a fire.
Oxidising properties	:	Not applicable.

Lower explosion limit	:	Not available
Upper explosion limit	:	Not available
Flash point	:	210 °C
Auto-ignition temperature	:	Not available
Decomposition temperature	:	Not available
pH	:	Not applicable
pH solution	:	Not applicable
Viscosity, kinematic	:	60 mm²/s
Solubility	:	Material insoluble in water. soluble in most organic solvents.
Partition coefficient n-octanol/water (Log Kow)	:	No data available
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Vapour pressure	:	< 0,01 mm Hg
Vapour pressure at 50°C	:	Not available
Density	:	Not available
Relative density	:	0,845
Relative vapour density at 20°C	:	Not available
Particle characteristics	:	Not applicable

9.2. Other information

Other safety characteristics

Relative evaporation rate (butylacetate=1)	:	No data available
Relative evaporation rate (ether=1)	:	No data available
Additional information	:	At or above flash point, vapours present may burn in open or explode if confined when mixed with air and exposed to ignition source

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored normally.

10.2. Chemical stability

Combustible product. Stable at ambient temperature and under normal conditions of use. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

All heat sources. Sparks. Open flame. Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong oxidizers. Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	:	Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	:	Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	:	Not classified (Based on available data, the classification criteria are not met)

Dec-1-ene, homopolymer, hydrogenated (68037-01-4)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Dec-1-ene, homopolymer, hydrogenated (68037-01-4)	
LC50 Inhalation - Rat	> 5,2 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
LD50 dermal rabbit	> 2000 mg/kg (OECD 402 method)
LC50 Inhalation - Rat	> 5,53 mg/l/4h (mg/L air, aerosol) (OECD 403 method)

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)
pH: Not applicable

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)
pH: Not applicable

Additional information : Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Additional information : Based on available data, the classification criteria are not met

Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7)	
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)	
NOAEL (oral, rat, 90 days)	5 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

OPALJET ENERGY 3 0W30	
Viscosity, kinematic	60 mm²/s

Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7)	
Viscosity, kinematic	1,99 – 847 mm²/s Temp.: '40°C' Parameter: 'mm²/smm2/s '

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)	
Viscosity, kinematic	6,2 mm²/s

11.2. Information on other hazards

Other information

Potential adverse human health effects and symptoms : Not classified as dangerous preparation/substance,Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short–term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long–term (chronic) : Not classified (Based on available data, the classification criteria are not met)

Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7)	
LC50 - Fish [1]	> 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)
EC50 - Crustacea [1]	> 10000 mg/l (Daphnia magna, 48h) (OECD 202)
EC50 - Other aquatic organisms [1]	> 10000 mg/l
NOEC (acute)	≥ 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method)
NOEC chronic fish	≥ 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox, 14/28d)
NOEC chronic crustacea	10 mg/l (Daphnia magna, 21d) (OECD 211 method)

Mineral oil*	
LC50 - Fish [1]	> 100 mg/l (Pimephales promelas, 4d)
EC50 - Crustacea [1]	> 10000 mg/l (Cladocera; 2d)
EC50 72h - Algae [1]	> 100 mg/l (Scenedesmus quadricauda, 3d)
ErC50 algae	> 100 mg/l (Algae, 3d)
NOEC chronic crustacea	> 10 mg/l (Cladocère, 21 DY)

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)	
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Other aquatic organisms [1]	> 74 mg/l Danio rerio (zebra fish), 96h
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (acute)	≥ 3 mg/l (Desmodesmus subspicatus, 72h) (OECD 201 method)
NOEC (chronic)	≤ 0,01 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)	
NOEC chronic fish	≥ 0,001 mg/l (Danio rerio, 36d) (OECD 210 method)
NOEC chronic crustacea	≥ 1 mg/l (Daphnia magna, 21d) (OECD 211 method)

12.2. Persistence and degradability

OPALJET ENERGY 3 0W30	
Persistence and degradability	Not established.

Dec-1-ene, homopolymer, hydrogenated (68037-01-4)	
Persistence and degradability	Rapidly degradable

Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7)	
Persistence and degradability	Rapidly degradable
Biodegradation	31 % (28d) (OECD 301F method)

Mineral oil*	
Persistence and degradability	Rapidly degradable
Biodegradation	31 % (28DY; OECD TG 301 B)

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)	
Persistence and degradability	Not readily biodegradable.

12.3. Bioaccumulative potential

OPALJET ENERGY 3 0W30	
Partition coefficient n-octanol/water (Log Pow)	No data available
Partition coefficient n-octanol/water (Log Kow)	No data available
Bioaccumulative potential	Not established.

Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7)	
Bioaccumulative potential	Bioaccumulative potential.

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)	
Bioconcentration factor (BCF REACH)	260 (Oncorhynchus mykiss, 35d) (OECD 305 method)
Partition coefficient n-octanol/water (Log Pow)	9,2

12.4. Mobility in soil

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)	
Ecology - soil	Product adsorbs little onto the soil.

12.5. Results of PBT and vPvB assessment

OPALJET ENERGY 3 0W30
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

OPALJET ENERGY 3 0W30
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Recycling is preferred to disposal or incineration. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. Take up liquid spill into absorbent material, e.g.: sand/earth.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecological waste information : Avoid release to the environment. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.

European List of Waste (LoW, EC 2000/532) : 13 02 00 - waste engine, gear and lubricating oils

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated for transport				
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Transport regulations (ADR) : Not subject

Transport by sea

Transport regulations (IMDG) : Not subject

Air transport

No data available

Inland waterway transport

No data available

Rail transport

Transport regulations (RID) : Not subject

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes

Section	Changed item	Comments
	SDS Ref.	**Modified**
	Revision date	**Modified**

Indication of changes		
Section	**Changed item**	**Comments**
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	**Removed**
2.2	EUH-statements	**Added**
2.2	Precautionary statements (CLP)	**Removed**
2.2	Hazard statements (CLP)	**Removed**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
PBT	Persistent Bioaccumulative Toxic
vPvB	Very Persistent and Very Bioaccumulative
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Other information : None.

Full text of H- and EUH-statements:	
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
EUH208	Contains tris(branched-alkyl) borate. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
H304	May be fatal if swallowed and enters airways.
H413	May cause long lasting harmful effects to aquatic life.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.