TOYOTA

MATERIAL HANDLING

COSHH Risk Assessment:

Part Number: S156MOA

Name of Substance involved in the process *(a copy of the current safety data sheet is available)*	Standard Thinner)	Pseudonym	Paint Thinner
Describe the activity or work process & exposure *(Inc. how long/how often this is carried out)*	FLT Maintenance, Use; Technicians-infrequent, less than weekly, Workshop Painters-frequent, daily	Location of process being carried out	Customer sites, Toyota workshops

Identify the persons at risk	Team members	☑	Sub-contractors	☐	Customer Team member	☐	Public ☐

Labelling Elements

 ☐ Explosive

 ☑ Health Hazard

 ☑ Serious Health Hazard

 ☐ Oxidising

 ☐ Corrosive

 ☐ Acute

 ☑ Flammable

 ☑ Environmental

 ☐ Gas

Signal Word: Danger

Hazard Type

Gas	Vapour	Mist	Fume	Dust	Liquid	Solid	Other
☐	☑	☐	☐	☐	☑	☐	☐

Additional Information: liquid.

Route of Exposure & Possible Symptoms

Inhalation	Skin	Eyes	Ingestion	Other
☑	☑	☑	☑	☐

Additional Information: Irritant

Control Measures

Extremely flammable liquid and vapour. Harmful if swallowed. Causes skin and eye irritation. Harmful if inhaled. Suspected of damaging the unborn child. May cause damage to organs. May cause damage to organs through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects.

Ensure appropriate PPE is worn – see below and SWP-32. Wear protective gloves/ protective clothing/ eye protection/ face protection. Ensure Eye bathing equipment is available. void contact with skin and eyes. Maintain high standards of personal hygiene at all times. Take off contaminated clothing and wash it before re-use. Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product.

Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment.

COSHH Risk Assessment:









Part Number: S156MOA

Do not handle until all safety precautions have been read and understood.
This product poses no significant risk if used as intended in the amount anticipated, and manufactures instructions are followed.

Is health surveilance or monitoring required?	Yes ☐	No ☑

Provide details:

Personal Protective Equipment Required

 ☐ Dust Mask
 ☐ Visor
 ☑ Respirator
 ☑ Goggles
 ☑ Gloves
 ☑ Overalls
 ☑ Footwear
 ☐ Other

Additional Information:

First Aid Measures

Inhalation:	Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary.
Skin Contact:	Take off immediately all contaminated clothing. Repeated exposure may cause skin dryness or cracking. Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
Eye Contact:	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
Ingestion:	Get immediate medical advice/attention. Rinse mouth out with water. Drink plenty of water. Do NOT induce vomiting.

Storage

Store in a well-ventilated place. Keep cool. Keep container tightly closed.
Store away from heat. Keep only in original container.
Keep only in the original container in a cool, well-ventilated place away from combustible materials.

Spillage

Wear PPE as listed above. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Stop leak if safe to do so. Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Take up liquid spill into absorbent material. Absorb remaining liquid with sand or inert absorbent and remove to safe place. Notify authorities if product enters sewers or public waters. Do not use equipment in clean-up procedure which may produce sparks. See SWP-19.

Disposal of Substance & Contaminated Containers

☐ Hazardous Waste ☐ General Waste ☑ Return to Depot ☐ Return to Supplier ☐ Other

Additional Information:

Is exposure adequately controlled	Yes ☑	No ☐

Risk Rating Following Control Measures

High ☐ Medium ☐ Low ☑

Assessed by:	Elaine Greaves	Date:	September 2026	Review Date:	March 2028