TOYOTA

MATERIAL HANDLING

# COSHH Risk Assessment:

## Part Number: 119-6PRO

| | | | |
|---|---|---|---|
| Name of Substance involved in the process *(a copy of the current safety data sheet is available)* | Biobrisk | Pseudonym | Biobrisk Cleaner |
| Describe the activity or work process & exposure *(Inc. how long/how often this is carried out)* | FLT Maintenance. Cleaning returned FLT. Use: Less than weekly for 1 – 2 hours | Location of process being carried out | TMHUK Steam Clean Bay. Users: Valeting Operatives |

| | | | | |
|---|---|---|---|---|
| Identify the persons at risk | Team members √ | Sub-contractors ☐ | Customer Team member ☐ | Public ☐ |

**Labelling Elements**


☐ Explosive


√ Health Hazard


☐ Serious Health Hazard


☐ Oxidising


☐ Corrosive


☐ Acute


☐ Flammable


☐ Environmental


☐ Gas

Signal Word: WARNING

**Hazard Type**

| Gas | Vapour | Mist | Fume | Dust | Liquid | Solid | Other |
|---|---|---|---|---|---|---|---|
| ☐ | ☐ | ☐ | ☐ | ☐ | √ | ☐ | ☐ |

Additional Information:

**Route of Exposure & Possible Symptoms**

| Inhalation | Skin | Eyes | Ingestion | Other |
|---|---|---|---|---|
| √ | √ | √ | √ | ☐ |

Additional Information: Irritant

**Control Measures**

Read and follow manufacturer's recommendations.
Avoid spilling. Avoid contact with skin and eyes.
Ensure eyewash station is accessible. Do not smoke in work area.
Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.
Wear PPE as listed below.
Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment.
**This product poses no significant risk if used as intended in the amount anticipated, and manufactures instructions are followed.**

| Is health surveilance or monitoring required? | Yes ☐ | No √ |
|---|---|---|

Provide details:



Authorisation: QSE Manager
Approval: QSE Team

## COSHH Risk Assessment:

**Part Number: 119-6PRO**

| Personal Protective Equipment Required | | | | | | | |
|---|---|---|---|---|---|---|---|
|  |  |  |  √ |  √ |  √ |  √ |  |
| Dust Mask | Visor | Respirator | Goggles | Gloves | Overalls | Footwear | Other |
| | | | | EN374 | | | |

Additional Information:

| First Aid Measures | |
|---|---|
| **Inhalation:** | Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place. |
| **Skin Contact:** | Rinse with water. |
| **Eye Contact:** | Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues. |
| **Ingestion:** | Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. Get medical attention if any discomfort continues. |

| Storage |
|---|
| Store in accordance with local regulations. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.. |
| **Spillage** |
| See SWP-19. Stop leak if possible without risk. Take care as floors and other surfaces may become slippery. Avoid the spillage or runoff entering drains, sewers or watercourses. Flush away spillage with plenty of water. Wash thoroughly after dealing with a spillage.<br>Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. |
| **Disposal of Substance & Contaminated Containers** |

| | | | | |
|---|---|---|---|---|
| | | √ | | |
| Hazardous Waste | General Waste | Depot | Return to Supplier | Other |

Additional Information:

| Is exposure adequately controlled | Yes √ | No |
|---|---|---|

| Risk Rating Following Control Measures | | |
|---|---|---|
| High | Medium | Low √ |

| Assessed by: | Elaine Greaves | Date: | March 2024 | Review Date: | September 2026 |
|---|---|---|---|---|---|